


This drawing, specifications, and concepts contained here in are the sole property of Dart Aerospace, and may not be reproduced or used in any fashion without the prior written permission of Dart Aerospace Eugene, OR.

REVISIONS			
REV	DESCRIPTION	DATE	INITIAL
APPROVED			



UNDER REVIEW
URF 19-1042 19.10.28 (VM)

NOTES:





1. REF. EUROCOPTER T/N: 332A934209.00.
2. PART OF KIT RBE332A93-4215-00.

DART AEROSPACE	
TITLE PAD WEARING GAUGE	
DWG NO. RBE332A93-4209-00	REV
MAT'L	DRAWN BY: DUERFELDT
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES	APPROVED <i>D Weil</i>
.XXX ± .005 .XX ± .01 .X ± .1	HEAT TREAT FINISH SPEC
1. BREAK ALL SHARP EDGES .015 x 45° OR .015R	USED ON MODEL
2. DIMENSIONAL LIMITS APPLY AFTER PLATING	AS332
SCALE 1:2	DATE 6/23/2014
SHEET 1 OF 4	

ASSY QTY	ASSY QTY	B/O	Part #	UNIT QTY	Description	Material	B/O INFORMATION OR SPECIFICATIONS	PG.
			-1	1	BASE	1018	Ø1-5/8 X 3-1/8	2
			-3	1	CAP	1018	Ø7/8 X 1/2	3
			-5	1	ROD	4140 Q&T	Ø1/2 X 3-1/2	4
		B/O	-7	1	COMPRESSION SPRING	S.S.	Ø.360 O.D. X Ø.041 WIRE X 3/4 MCMaster-CARR #1986K92	1

This drawing, specifications, and concepts contained here in are the sole property of Dart Aerospace, and may not be reproduced or used in any fashion without the prior written permission of Dart Aerospace Eugene, OR.

REVISIONS			
REV	DESCRIPTION	DATE	INITIAL



SECTION A-A





(-1)
BASE

UNDER REVIEW
URF 19-1042 19.10.28 (VM)

DART AEROSPACE	
TITLE PAD WEARING GAUGE	
DWG NO. RBE332A93-4209-00-1	REV
MAT'L 1018	DRAWN BY: GILBERT
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES	APPROVED <i>D Weil</i>
.XXX $\pm .005$.XX $\pm .01$.X $\pm .1$	HEAT TREAT FINISH CAD PLATE YELLOW
1. BREAK ALL SHARP EDGES .015 x 45° OR .015R	SPEC QQ-P-416F, TYPE II, CLASS II
2. DIMENSIONAL LIMITS APPLY AFTER PLATING	USED ON MODEL AS332
SCALE 1:1	DATE 4/26/2011
SHEET 2 OF 4	

This drawing, specifications, and concepts contained here in are the sole property of Dart Aerospace, and may not be reproduced or used in any fashion without the prior written permission of Dart Aerospace Eugene, OR.

REVISIONS				
REV	DESCRIPTION	DATE	INITIAL	APPROVED




UNDER REVIEW
URF 19-1042 19.10.28 (VM)

(-3)
CAP

DART AEROSPACE	
TITLE PAD WEARING GAUGE	
DWG NO. RBE332A93-4209-00-3	REV
MAT'L 1018	DRAWN BY: GILBERT
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES	APPROVED <i>D Weil</i>
.XXX ± .005	HEAT TREAT
.XX ± .01	FINISH CAD PLATE YELLOW
.X ± .1	SPEC QQ-P-416F, TYPE II, CLASS II
1. BREAK ALL SHARP EDGES .015 x 45° OR .015R	USED ON MODEL
2. DIMENSIONAL LIMITS APPLY AFTER PLATING	AS332
SCALE 2:1	DATE 4/26/2011
SHEET 3 OF 4	

This drawing, specifications, and concepts contained here in are the sole property of Dart Aerospace, and may not be reproduced or used in any fashion without the prior written permission of Dart Aerospace Eugene, OR.

REVISIONS				
REV	DESCRIPTION	DATE	INITIAL	APPROVED



UNDER REVIEW
URF 19-1042 19.10.28 (VM)

(-5)
ROD

DART AEROSPACE	
TITLE PAD WEARING GAUGE	
DWG NO. RBE332A93-4209-00-5	REV
MAT'L 4140 Q&T	DRAWN BY: DUERFELDT
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES	APPROVED <i>D Weil</i>
.XXX ± .005	HEAT TREAT
.XX ± .01	FINISH CAD PLATE YELLOW
.X ± .1	SPEC QQ-P-416F, TYPE II, CLASS II
1. BREAK ALL SHARP EDGES .015 x 45° OR .015R	USED ON MODEL
2. DIMENSIONAL LIMITS APPLY AFTER PLATING	AS332
SCALE 2:1	DATE 6/23/2014
SHEET 4 OF 4	